



Tote Solutions Ltd.

Handheld Totes & Containers



Carts and Buggies

Wheeled carts and buggies are ideally suited for handling both wet and dry goods. The sturdy undercarriage construction, nylon wheels, stainless steel axles and ergonomic handles have been designed for easy maneuverability and handling. Capacity for each range from 400 pounds to 1000 pounds and are available with lids. Stainless steel dumping brackets are available for all models.

Technical Datasheet



D340



D360

CARTS & BUGGIES	D200/201	D300/301	D340	D360
VOLUME gal (L)	53 (200)	79 (300)	106 (400)	132 (500)
CAPACITY lbs (kg)	400 (200)	600 (300)	800 (400)	1000 (500)
WEIGHT lbs (kg)	50 (23)	62 (28)	74 (34)	85 (39)
OUTSIDE DIMENSIONS	IN (MM)	IN (MM)	IN (MM)	IN (MM)
Length	33 (84)	33 (84)	50.5 (128)	50.5 (128)
Width	29 (74)	29 (74)	37 (94)	37 (94)
Height	28 (71)	39 (99)	31 (79)	36 (92)



Insulated Containers

Insulated containers are the result of more than three decades of innovative research and development. Now, our doublewalled containers are ready for the most extreme of weather and usage conditions. On board or on the plant floor, these containers are ready for processing, storage and transportation of a wide variety of food products. They are stackable with or without lids and can be three-packed for easy empty return.

Made with medium-density polyethylene, these food-approved containers can be rotated and are easy to clean. Design features include a drain hole and a slot for plug storage, and the reinforced base with a centre beam allows for versatility in handling. The DX310HD, D318HD, D327HD and D332HD can also be used for storage and transportation of dry ice (HD = Heavy Duty).



Technical Datasheet



DX310/DX318/DX312

INSULATED

CONTAINERS

	DX310	DX310F	DX312	DX318	DX327	DX332	DX335
VOLUME gal (L)	70 (265)	70 (265)	77 (292)	136 (515)	187 (710)	235 (890)	268 (1015)
CAPACITY lbs (kg)	550 (265)	550 (265)	625 (292)	1100 (515)	1500 (710)	1750 (800)	2200 (1015)
WEIGHT lbs (kg)	60 (27)	66 (30)	71 (32)	88 (44)	119 (54)	134 (61)	160 (73)

OUTSIDE

DIMENSIONS	IN (CM)	IN (CM)	IN (CM)	IN (CM)	IN (CM)	IN (CM)	IN (CM)
Length	43.25 (110)	43.25 (110)	42 (107)	47.5 (121)	47.5 (121)	47.5 (121)	47.5 (121)
Width	22.5 (57)	22.5 (57)	32 (81)	42.5 (108)	42 (107)	42 (107)	42 (107)
Height	26.25 (67)	30.35 (77)	26 (66)	27.5 (71)	33.75 (86)	38.5 (98)	46 (117)

INSIDE

DIMENSIONS	IN (CM)	IN (CM)	IN (CM)	IN (CM)	IN (CM)	IN (CM)	IN (CM)
Length	35.75 (91)	35.75 (91)	34.25 (87)	43.5 (111)	44 (112)	44 (112)	44 (112)
Width	19.25 (49)	19.25 (49)	28.25 (72)	38.75 (99)	39 (99)	39 (99)	39 (99)
Height	24 (61)	24 (61)	19.7 (50)	19.7 (50)	27.5 (70)	30.75 (78)	39.75 (101)

LIDS

	DX310L	DX312L
WEIGHT lbs (kg)	13.2 (6)	18.7 (8.5)

OUTSIDE

DIMENSIONS	IN (CM)	IN (CM)
Length	38.5 (98)	38.5 (98)
Width	22.5 (57)	32.75 (83)
Height	1.5 (4)	2.5 (6.4)

Technical Datasheet



D327



D332



D335

INSULATED CONTAINERS

	D327	D332	D335
VOLUME gal (L)	187 (710)	211 (800)	187 (1015)
CAPACITY lbs (kg)	1500 (710)	1750 (800)	2200 (1015)
WEIGHT lbs (kg)	119 (54)	134 (61)	160 (73)

OUTSIDE

DIMENSIONS	IN (CM)	IN (CM)	IN (CM)
Length	46.5 (118)	46.5 (118)	46.5 (118)
Width	41 (104)	441.5 (105)	441 (104)
Height	33.75 (86)	438.5 (98)	446 (117)

INSIDE

DIMENSIONS		IN (CM)	IN (CM)
Length	44 (112)	44 (112)	44 (112)
Width	37.5 (95)	37.5 (95)	38.75 (99)
Height	27.5 (70)	30.75 (78)	39.7 (101)

LIDS

	D18-35L	DC18-35L
WEIGHT lbs (kg)	39.7 (18)	37.5 (17)

OUTSIDE

DIMENSIONS	IN (CM)	IN (CM)
Length	47.75 (121)	48.60 (124)
Width	41.75 (106)	3.5 (111)
Height	3 (7.5)	3 (7.5)

Technical Datasheet



D1000/D660/D500

INSULATED CONTAINERS

	D305	D500	D660	D1000
VOLUME gal (L)	46 (174)	132 (500)	174 (660)	264 (1000)
CAPACITY lbs (kg)	670 (305)	1000 (500)	1450 (660)	2200 (1000)
WEIGHT lbs (kg)	383 (174)	88 (40)	112 (51)	170 (77)

OUTSIDE

DIMENSIONS	IN (CM)	IN (CM)	IN (CM)	IN (CM)
Length	31.5 (80)	48.5 (123)	48.5 (123)	59 (150)
Width	23.5 (60)	40.5 (103)	40.5 (103)	46.5 (118)
Height	23.5 (59.7)	24.5 (62)	30 (76)	34.5 (88)

INSIDE

DIMENSIONS	IN (CM)	IN (CM)	IN (CM)	IN (CM)
Length	27.1 (68.5)	46.5 (118)	46.5 (118)	56.5 (144)
Width	19.2 (48.5)	38.5 (98)	38.5 (98)	44 (112)
Height	21.3 (54.1)	19 (48)	24.5 (62)	29.5 (75)

LIDS

	D500/660L	D1000L
WEIGHT lbs (kg)	26 (12)	35 (16)

OUTSIDE

DIMENSIONS	IN (CM)	IN (CM)
Length	48.5 (124)	59 (150)
Width	40.5 (103)	46.5 (118)
Height	2.25 (5.7)	2.25 (5.7)

Defrosting / Chilling Containers

A simple and direct solution to the problems of long chilling and defrosting times, the [defrosting/chilling container](#) allows water and compressed air to be pumped in through the nine spouts molded into the container's base. The whirlpool effect reduces the thawing time by 50% and results in a fresher, superior product. They are supplied with easy-to-use stainless intake valves for the quick connection of any combination of air and water.



DF1000

Technical Datasheet

DEFROSTING /

CHILLING CONTAINERS

DF1000

VOLUME gal (L) 264 (1000)

CAPACITY lbs (kg) 2000 (1000)

WEIGHT lbs (kg) 170 (77)

OUTSIDE

DIMENSIONS IN (CM)

Length 59 (150)

Width 46.5 (118)

Height 34.5 (88)

INSIDE

DIMENSIONS IN (CM)

Length 56.5 (144)

Width 44 (112)

Height 29.5 (75)

LIDS

D1000L

WEIGHT lbs (kg) 170 (77)

OUTSIDE

DIMENSIONS IN (CM)

Length 59 (150)

Width 46.5 (118)

Height 34.5 (88)

Non-Insulated Containers

Pallet-sized, lightweight and double-walled, these [non-insulated containers](#) are engineered specifically for pickling, storing, refrigerating and transporting wet and dry goods. The floor is sloped for maximum drainage and a slot is provided for a plug while not in use. Its exterior design enables secure maneuverability by both pallet jack and forklift and is suitable for multilevel stacking—with or without lids. Three-pack them for easy empty return.



DS-800

Technical Datasheet

NON-INSULATED CONTAINERS

DS800

VOLUME gal (L) 211 (800)

CAPACITY lbs (kg) *filled with water 1750 (800)

WEIGHT lbs (kg) 132 (60)

OUTSIDE

DIMENSIONS IN (CM)

Length 48 (122)

Width 43 (109)

Height 35 (88)

INSIDE

DIMENSIONS IN (CM)

Length 43.25 (110)

Width 38.75 (98)

Height 28.5 (72)

LIDS

DS800L

WEIGHT lbs (kg) 9.6 (4.5)

OUTSIDE

DIMENSIONS IN (CM)

Length 48 (122)

Width 43 (110)

Height 3 (7.5)

Multi-Purpose Containers

The **multi-purpose container** is constructed from a hard wearing polyethylene shell filled with expanding polyethylene. This advance in construction has created a tougher, longer lasting container that is completely recyclable. With optional polyethylene lid, strong accessible hoisting grips, two legs for easy forklift entry from all sides and optional drainage holes the MPC 660 is unique and dependable for all types of stringent hygenic foodstuffs handling.

Technical Datasheet

MULTI-PURPOSE CONTAINERS

MPC 660

VOLUME FT3 (L)	23.3 (800)
CAPACITY lbs (kg) *filled with water	1450 (660)
WEIGHT lbs (kg)	132 (60)

OUTSIDE

DIMENSIONS

IN (CM)

Length	48.4 (123)
Width	40.6 (103)
Height	29.5 (75)

INSIDE

DIMENSIONS

IN (CM)

Length	45.5 (116)
Width	37.5 (95)
Height	23.8 (60)



MPC-600

On-Board Handling Box

The only one of its kind on the market today, the [on-board handling box](#) with its three-section lid and optional gate dividers, allows you to conveniently sort and grade shellfish. It can hold eight 70-litre tote trays or 12 rebox trays and the spill-resistant lid also doubles as a secure work shelf when closed.

Three drainage holes allow water to circulate and its sturdy, durable and seamless construction further ensures hygienic handling of fish products at all times. The sloped base of the box facilitates easy cleaning and the two molded-in handles aid maneuverability. Once it's on-board, you'll wonder how you ever got along without it!

Technical Datasheet

ON-BOARD

HANDLING BOX

D337

VOLUME gal (L) 264 (1000)

WEIGHT lbs (kg) 141 (64)

OUTSIDE

DIMENSIONS IN (CM)

Length 72 (183)

Width 41 (104)

Height 30 (76)

INSIDE

DIMENSIONS IN (CM)

Length 68 (173)

Width 37 (94)

Height 27 (69)

LIDS

D337L

WEIGHT lbs (kg) 70 (32)

OUTSIDE

DIMENSIONS IN (CM)

Length 73 (186)

Width 42 (107)

Height 5 (13)



D337

Live Transport

Whether your valuable fish product is being shipped from the hatchery to the growing site or to market, the [live transport container](#) is the smart choice in the industry today. It is a lightweight, versatile, cost-effective and safe solution for live fish transportation. The medium density polyethylene foam-filled container allows for long-term durability—providing an R18 insulation factor to maintain waterj temperature.

From the lid to the base, the live transport container is designed to make your work easier with quick connect air attachments to access any type of air source and sloped base to the release gate for easy disbursement of fish. The insulated lid, with neoprene seal, prevents spillage during transportation while its eight-inch water-tight locking cam-lock ensure secure and leak-proof transportation.

Technical Datasheet

LIVE

TRANSPORT

DX333

VOLUME gal (L)	268 (1015)
WEIGHT lbs (kg)	160 (73)

OUTSIDE

DIMENSIONS	IN (CM)
Length	47.5 (121)
Width	42 (107)
Height	46 (117)

INSIDE

DIMENSIONS	IN (CM)
Length	44 (112)
Width	39 (99)
Height	39.75 (101)

LIDS

DC-18-35L

WEIGHT lbs (kg)	32 (14.5)
------------------------	-----------

OUTSIDE


DIMENSIONS	IN (CM)
Length	48.75 (124)
Width	43.25 (110)
Height	3 (7.5)



DX333



Tote Solutions Ltd.

 #47 - 20821 Fraser Hwy,
Langley, BC , V3A 0B6

 778.808.4987

 info@totesolutions.com

 totesolutions.com